ASSEMBLY INSTRUCTION

5302 SADDLE BACK STOOL

Component List

A Seat	B Leg Frame	C Stretcher
		
1pc	2pcs	2pcs

Hardware List

1 JCBC/W M7 x 50mm	2 Allen Key M4 x 60mm	3 Wooden Button
		
8pcs	1pc	8pcs



This page lists all the contents included in the box. Please take the time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.

1 Place Seat (A) upside down smooth carpet surface. Line up legs of Leg Frame (B) with screw holes on bottom of Seat (A) and attach with JCBC/W (1) using Allen Key (2).



2 Insert Stretcher (C) into Leg Frame (B) and secure with JCBC/W (1) using Allen Key (2).



3 Line up of second Leg Frame (B) with screw holes on bottom of Seat (A) and attach with JCBC/W (1) using Allen Key (2). Do not tighten these screw all the way until you insert the Stretcher (C) when all holes are aligned. Tighten all remaining screw.



4 Insert Wood Button (3) into every hole in Leg Frame (B).



Cleaning & Care

Treat surface with care. Surface is resistant to scratches but is not scratch resistant. Clean surface with a dry or damp soft cloth.Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.

ASSEMBLY INSTRUCTION

5302 PUB TABLE

Component List

A Table Top	B Table Leg
	
1pc	4pcs

Hardware List

1 Hex Nut ϕ5/16"	2 Lock Washer ϕ5/16"	3 Flat Washer ϕ5/16"	4 Wrench #12.8
			
8pcs	8pcs	8pcs	1pc



This page lists all the contents included in the box. Please take the time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.

1 Attach Table Leg (B) to Table Top (A) using Flat Washer (3), Lock Washer (2) and Hex Nut (1). Tighten Hex Nut (1) with Wrench (4).



2 Turn the assembled table to the upright position carefully. Make sure the table is level, and then securely tighten all nuts at this stage. Assembly is now completed.



Cleaning & Care

Treat surface with care. Surface is resistant to scratches but is not scratch resistant. Clean surface with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.